

# Tork Universal utěrka 320 (bílá)



Položka: 121206

Systém: M2 - Systém se středovým odvíjením

velký Vrstvy: 2 Barva: Bílá Potisk: NE Vytlačený vzor:

Šířka role: 20 cm Délka role: 160 m Počet listů: 457 Délka listu: 35 cm Průměr role: 18.7 cm

### **Popis**

Dvouvrstvá papírová utrka z ady 320 z kvalitního recyklu v roli se stedovým odvíjením. Univerzální využití.

### **Vlastnosti** produktu

## Údaje o dodání

Spotřebitelská jednotka:

EAN: 7310791229638

Kusy: 1

Výška: 205 mm Šířka: 180 mm Délka: 180 mm Objem: 6.6 dm3

**Čistá hmotnost**: 1184 g **Hrubá hmotnost**: 1184 g Přepravní jednotka:

EAN: 7310791210049

Kusy: 6

Spotřebitelské balení: 6

Materiál: Carton Výška: 217 mm Šířka: 396 mm Délka: 596 mm Objem: 51.2 dm3

**Čistá hmotnost:** 7.10 kg **Hrubá hmotnost:** 7.69 kg

### Ekologické informace

Content

Recycled fibres, Chemicals

Material

Recycled fibresRecovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its



availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentDye Fixing agentsFluorescent whitening agentGlueSoftenersThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aid

### Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = EcolabelThis product does not have an ecolabel.

Date of issue 10-02-25

Revision date

### Production

This product is produced in Kostheim mill, DE, certified according to ISO 9001, ISO 14001 and EMAS.

#### Destruction

This product is mainly used for personal hygiene and can be collected together with household waste. If used for industrial processes check local regulations for destruction.