



# Tork Universal toaletní papír - konvenční role (bílá)



**Položka:** 2100  
**Systém:** T4 - Systém běžného toal. papíru  
**Vrstvy:** 2  
**Barva:** Přírodní  
**Potisk:** NE  
**Vytlačený vzor:** ANO  
**Šířka role:** 9.7 cm  
**Délka role:** 34.5 m  
**Počet listů:** 250  
**Délka listu:** 13.8 cm  
**Průměr role:** 12.5 cm  
**Vnitřní průměr jádra:** 4 cm

## Popis

Dvouvrstvý toaletní papír základní kvality, vhodný pro všechny typy toalet.

## Vlastnosti produktu

## Údaje o dodání

**Spotřebitelská jednotka:**

**EAN:** 9011111026002

**Kusy:** 10

**Materiál:** Plastic

**Výška:** 97 mm

**Šířka:** 240 mm

**Délka:** 580 mm

**Objem:** 13.5 dm<sup>3</sup>

**Čistá hmotnost:** 1191 g

**Hrubá hmotnost:** 1241 g

**Přepravní jednotka:**

**EAN:** 9011111021007

**Kusy:** 60

**Spotřebitelské balení:** 6

**Materiál:** Plastic

**Výška:** 194 mm

**Šířka:** 580 mm

**Délka:** 720 mm

**Objem:** 81.0 dm<sup>3</sup>

**Čistá hmotnost:** 7.15 kg

**Hrubá hmotnost:** 7.48 kg

## Ekologické informace

### Content

Recycled fibres, Chemicals

### Material

Recycled fibres Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its



availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Dry strength agent If coloured = Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Environmental label = Ecolabel This product does not have any ecolabel..

#### Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Date of issue 2010-03-08

Revision date

#### Production

This product is produced at Ortmann mill, Austria, and certified according to ISO 9001:2000 and EMAS.

#### Destruction

This product is suitable to be taken care of in the normal sewage system of the community.