



Tork Advanced utěrka 420 Performance (bílá)



Položka: 130044

Systém: M2 - Systém se středovým odvíjením velký

Vrstvy: 2

Barva: Bílá

Potisk: NE

Vytlačený vzor: ANO

Šířka role: 23.5 cm

Délka role: 125 m

Počet listů: 368

Délka listu: 34 cm

Průměr role: 19 cm

Vnitřní průměr jádra: 7.1 cm

Popis

Dvouvrstvá papírová utěrka z ady 420 ze smsi celulózy (TAD technologie) a recyklovaného materiálu v roli se středovým systémem odvíjením. Jemná, pevná, s velkou absorpcí a vhodná pro místa s velkou spotřebou.

Vlastnosti produktu

Údaje o dodání

Spotřebitelská jednotka:

EAN: 7322540183443

Kusy: 1

Výška: 235 mm

Šířka: 190 mm

Délka: 190 mm

Objem: 8.5 dm³

Čistá hmotnost: 1131 g

Hrubá hmotnost: 1169 g

Přepravní jednotka:

EAN: 7322540183450

Kusy: 6

Spotřebitelské balení: 6

Materiál: Shrink

Výška: 235 mm

Šířka: 380 mm

Délka: 570 mm

Objem: 50.9 dm³

Čistá hmotnost: 6.79 kg

Hrubá hmotnost: 7.07 kg

Ekologické informace

Content

The fibre composition in the product is virgin and recycled

Material



Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) (where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Wet strength agent Dry strength agent Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Product safety

The product fulfils the legislative requirements for food safety. Packaging Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label Ecolabel This product does not have an ecolabel

Date of issue 2006-06-12

Revision date 2010-02-25

Production

This product is produced at Kostheim mill, Germany. Kostheim mill is certified according to ISO 14001 and EMAS.

Destruction

For disposal of used product please contact the local authorities. The packaging can be used for material recovery or energy recovery